

Notice of Allowability	Application No.	Applicant(s)	
	10/766,823	SATOYAMA ET AL.	
	Examiner Jae U. Yu	Art Unit 2185	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTO-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to amendment dated 9/29/06.
2. The allowed claim(s) is/are 1-22.
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All b) Some* c) None of the:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date 11/3/06
4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. Notice of Informal Patent Application
6. Interview Summary (PTO-413),
Paper No./Mail Date 20060918.
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other _____.

DETAILED ACTION

The examiner acknowledges the applicant's submission of the amendment dated 9/29/06. At this point claims 1 and 11 have been amended. Thus, claims 1-22 are pending in the instant application.

Information Disclosure Statement

As required by M.P.E.P. 609 (C), the applicant's submission of the Information Disclosure Statement dated 11/3/06 is acknowledged by the examiner and the cited references have been considered in the examination of the claims now pending. As required by M.P.E.P. 609 C(2), a copy of the PTOL-1449 initialed and dated by the examiner is attached to the instant office action.

Conclusion

A. Status of Claims in the Application

The following is a summary of the treatment and status of all claims in the application as recommended by M.P.E.P. 707.07(i):

Allowable Subject Matter

Claims 1 and 11 are allowed.

Claim 1 and 11 disclose logical replication system and method comprising a plurality of control units. If a replication of an original volume is created in a logical volume connected to a different control unit, the original control unit creates a

corresponding virtual volume within the same control unit, and creates an actual replication volume in the second control unit.

McBrearty et al. disclose logical replication system and method comprising a plurality of control units. A replication of an original "local" volume is created in corresponding virtual "local backup" and "remote backup" logically.

However, McBrearty et al. fails to disclose the combination including the limitations of : "wherein the host computer recognizes...created in the logical volume relating to the disk unit connected to the first control unit" (i.e. the host thinks that the replication is created in the first control unit but the replication is actually being created in the second control unit).

As dependent claims 2-10 and 12-22 depend from an allowable base claim; they are at least allowable for the same reasons as noted above.

B. Direction of Future Correspondences

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submission should be clearly labeled "Comments on Statement of Reasons for allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jae Un Yu who is normally available from 9:00 A.M. to 5:30 P.M. Monday thru Friday and can be reached at the following telephone number: (571) 272-1133.

Art Unit: 2185

If attempts to reach the above noted examiner by telephone are unsuccessful, the Examiner's supervisor, Sanjiv Shah, can be reached at the following telephone number: (571) 272-4098.


Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

December 01, 2006

Jae Un Yu

Art Unit 2185

JY



SANJIV SHAH
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100